



*Intergrain*<sup>®</sup>



**Timber Finishes Guide**  
[intergrain.com.au](http://intergrain.com.au)







Built for Performance. Trusted by Professionals.

## UltraDeck® Timber Stain

Transform your timber with rich, long-lasting colour

**TRANSFORM  
THE LOOK OF  
YOUR TIMBER**

[LEARN MORE](#)

**LASTS  
5X  
LONGER**  
THAN OIL BASED  
DECKING OILS



## UltraDeck® Timber Oil

Enhance the natural beauty of timber while delivering long-lasting durability

**How to apply  
Intergrain UltraDeck.**





# Exterior Timber Water-based oils

## Intergrain® UltraDeck® Timber Oil

A long lasting, high performance water-based coating designed to enhance the natural colour of exterior timber, while providing superior protection against harsh weather conditions and the abrasive effects of foot traffic.

Recoat: 3hrs      Coverage: 10-14m<sup>2</sup>/L  
Clean up: Water      Pack Sizes: 250ml, 1L, 4L, 10L  
Use on: All exterior timber.



## Intergrain® UltraDeck® Slip Resistant

A water-based coating that enhances the natural colour of exterior timber and provides superior protection in a subtly textured, slip resistant matt finish.

COMING  
SOON

Recoat: 3hrs      Coverage: 10-14m<sup>2</sup>/L  
Clean up: Water      Pack Sizes: 4L, 10L  
Use on: Stairs, walkways, ramps and around pools.



### UltraDeck® Colours



Colour: Natural Timber: Merbau



Colour: Merbau\* Timber: Merbau



Colour: Spotted Gum\* Timber: Spotted Gum



Colour: Jarrah\* Timber: Jarrah

\*All colours can be tinted from Natural. All colours shown are 2 coats.

**Lasts 3x longer**  
than traditional oil  
based decking oils.

Traditional oil based decking oils

UltraDeck® Timber Oil

UltraDeck® Slip Resistant

UltraDeck® Timber Stain

Time





# Exterior Timber

## Stains

### NaturalStain™

**Intergrain NaturalStain** is a high performance, semi-transparent, water based stain designed to transform the colour of exterior timber. **NaturalStain** is extremely durable and withstands wear on timber decking without the need for a top-coat. It can be applied to new bare timber immediately after cleaning (even while the timber is still damp). **NaturalStain** contains unique **Hydroguard™** technology which adds significant protection to guard timber against Australia's harsh conditions as well as the abrasive effects of foot traffic. The advanced finish resists stain absorption, helping timber stay clean. The result is timber that stays protected and looking fresh for significantly longer than traditional decking stains.


**Use on:** All exterior timber including decking, timber furniture, fences, doors and cladding, as well as interior surfaces. Interior floors will require a topcoat of **UltraFloor**, whilst interior trim should be coated with **UltraClear Interior**. For a slip resistant finish add **Intergrain UltraGrip** slip resistance additive into each coat of **NaturalStain**.

#### Expert Tip


Pick up a 250ml sample pot to trial NaturalStain.



### NaturalStain™ Colours



Merbau\*




Jarrah\*



Redwood\*



Charcoal\*




Cedar/Cypress\*




Light Oak<sup>cc</sup>




Dark Oak<sup>cc</sup>




Teak<sup>cc</sup>



Mahogany<sup>cc</sup>




Ebony<sup>cc</sup>



Walnut<sup>rw</sup>



Driftwood<sup>tb</sup>




Rich Chocolate<sup>m</sup>



Bondi Sands<sup>tb</sup>



Frosted White<sup>tb</sup>



Silver Fir<sup>tb</sup>








## Trusted Australian Innovation


Intergrain is Australia's No.1 choice for exterior timber protection — trusted by architects, builders, and homeowners




-  Lasts 3x longer than traditional oil-based decking oils
-  Made in Australia
-  Formulated to protect against Australia's most extreme conditions








Guaranteed to never peel,  
flake or blister



Protects against UV and Abrasion



Low VOC Deck Oil





# Application Areas

**Intergrain**

Intergrain  
UltraDeck®  
Superior  
protection  
that lasts

High performance formula




- Wooden Decking for Villas & Bungalows
- Hospitality Projects (resorts, cafes)
- Timber Facades and Claddings
- Outdoor Furniture (pergolas, benches)




## High humidity resistance for coastal areas

Products like UltraDeck® Timber Oil and NaturalStain are **water-based** and designed to resist moisture penetration while allowing the timber to breathe.



## UV protection for intense sunlight

The range includes high-performance UV absorbers that prevent fading, blistering, and **yellowing**.




## Fast drying in tropical climates

Water-based coatings like UltraDeck® dry in as little as **2–3 hours**, allowing two coats in a single day.



# Residential Applications




# Commercial Applications





# Intergrain Product Guide

Product	Description	Gloss Level	Apply With	No. of Coats	Drying Time	Coverage Rates (m <sup>2</sup> /L)	Clean up	Pack Sizes
<b>EXTERIOR TIMBER COATINGS</b>								
<b>UltraDeck® Timber Oil</b>	Water-based oil protects and enhances the natural look of timber.	High Satin	Brush, applicator or spray	2-3	Minimum recoat: 3 hours Light traffic, with care: 24 hours Fully cured: 7 days	10-14	Water	250ml, 1L, 4L, 10L
<b>UltraDeck® Slip Resistant</b>	Contains added <b>UltraGrip®</b> for a subtle, slip resistant texture.	Matt	Brush or applicator	2-3	Minimum recoat: 3 hours Light traffic, with care: 24 hours Fully cured: 7 days	10-14	Water	4L, 10L
<b>NaturalStain</b>	Semi-transparent, water-based stain. Ideal for treated pine.	Matt to Low Sheen	Brush, applicator or spray	2-3	Minimum recoat: 2 hours Light traffic, with care: 24 hours Fully cured: 7 days	6-12	Water	250ml, 1L, 4L, 10L
<b>Universal™ Timber Oil</b>	Clear oil penetrates timber to protect from within.	Matt	Brush or applicator	2-3	Minimum recoat: 24 hours Light traffic with care: 12 hours Fully Cured: 7 days	10-12	Mineral turpentine	1L, 5L, 10L
<b>Nature's TimberOil™</b>	Contains 95% sustainable ingredients for a natural timber finish.	Matt	Brush or applicator	2	Minimum recoat: 4 hours Light traffic, with care: 12 hours Fully cured: 7 days	6-10	Hot, soapy water	1L, 4L, 10L
<b>Heavy Duty</b>	Tough, water based finish protects against UV, water and mould.	Low Sheen	Brush, applicator or spray	3-4	Minimum recoat: 4 hours Fully cured: 7 days	Rough Sawn: 4-8 Sawn: 8-12 Dressed: 12-14	Water	1L, 4L, 10L
<b>UltraClear® Exterior</b>	Marine grade, water-based finish. Will not yellow like oil based coatings.	Gloss Satin Matt	Brush, applicator or spray	3-4	Minimum recoat: 4 hours Fully cured: 7 days	10-12	Water	1L, 4L, 10L







*Intergrain* 



BROUGHT TO YOU BY

# Beautex Wood™


Beautex Wood™

- 62 YEARS OF CRAFTSMANSHIP
- A LEGACY OF DEDICATION
- CRAFTING EXCELLENCE SINCE 1963



BEAUTEXWOOD



 B 803/804 Rustomjee Central  
Park, opp Kanakia Wall Street,  
Andheri Kurla Road, Mumbai  
400069

 [www.beautexwood.com](http://www.beautexwood.com)

 [sales@beautexwood.com](mailto:sales@beautexwood.com)