Beautex Wood™

HOW TO **ASSEMBLE** WOODEN DECKING TILES

Simple steps to create a beautiful floor



Easy Installation

No Special Tools Required

Stable & Durable

Perfect for Balcony & Outdoor

1 Components of One Tile

Exploded view of all parts

Beautex Wood™



2 Tools & Materials Needed

For assembling and installing wooden decking tiles

Beautex Wood

1 Drill / Screwdriver



For fixing screws and assembling tiles (if needed).

2 Stainless Steel Screws




4–5 cm screws to fix wooden slats to support battens.
(Use stainless steel for outdoor use)

3 Measuring Tape



For measuring and marking the layout.

4 Spirit Level



To ensure the surface is level and stable.

5 Hand Saw



For cutting tiles if needed (for edges or corners).

6 Pencil / Marker



For marking measurements and cut lines.

7 Edge Clips / Connectors (Optional)



For extra stability and to fix edge tiles.

8 Rubber Pads (Optional)




To prevent direct contact with the ground and improve ventilation/drainage.

9 Wooden Decking Tiles (Components)



Finished wooden tiles (or assemble using slats, battens and screws as shown).



Top wooden slats (walking surface).



Support battens (3 pieces per tile).



Stainless steel screws (to fix slats to battens).

3 Prepare the Surface

Ensure a clean, level and stable base before installation


Beautex Wood

1 Clean the surface
Remove dust, leaves, oil, and loose debris.


2 Wash if needed
Use water to clean stubborn dirt and let it dry completely.

3 Check level
Make sure the surface is even. Use a spirit level to check.


4 Ensure drainage
Slight slope for outdoor areas. so water can drain properly.




Clean Surface
Free from dust, oil and debris.



Level Surface
Use a spirit level to ensure no uneven areas.



Proper Drainage
Maintain slight slope (1–2%) for water flow.



Ready for Installation
Surface is clean, dry, level and stable.

4 Place the First Wooden Tile

Start from a corner and align properly

Beautex Wood



1 Start from a corner

Place the first wooden tile in one corner of the area.



2 Check the level

Ensure the tile is level with the surface.



3 Align the edges

Keep the edges straight and adjust if needed.



4 First tile placed

The first wooden tile is successfully placed. Continue with the next tile.



5 Join the Next Wooden Tile

Align and connect securely


Beautex Wood™

1 Align the edges

Keep the tiles straight and in the same line.




2 Slide and join




Gently slide the next wooden tile and align it with the first tile.

3 Ensure alignment




Make sure the surface is even and the gaps between slats match.

4 Continue the pattern



Keep joining the tiles one by one in the chosen pattern direction.

5 Check the finish




Ensure all tiles are properly joined, level and stable before moving further.

6 Completed Installation

All wooden tiles placed and aligned properly


Beautex Wood

1 Final alignment




Ensure all tiles are aligned in the same angle and side.

2 Check gaps




Keep a consistent gap between the tiles.

3 Check the level



Ensure the surface is level and stable.

4 Installation complete



All wooden tiles are placed properly and ready to use.

7 Final Result

Beautiful and sturdy wooden flooring

Beautex Wood

! Important Notes & Disclaimer

Beautex Wood

1 Natural Wood Variation

Each tile is made from natural timber. Variations in colour, grain, knots and texture are natural characteristics, not defects. Product images are indicative only.

2 Supply

Products are supplied in random lengths and widths. Kindly mention in advance if fixed sizes are required for your laying pattern.

3 Expansion & Movement

Wood naturally expands and contracts with changes in moisture and temperature. Minor surface checks, small gaps or slight movement over time are normal.

4 Weathering & Colour

Outdoor exposure to sun and rain will gradually change the colour of the wood, which may turn silver-grey. Regular re-oiling helps retain the original tone.

5 Base Surface & Load

Lay tiles only on a firm, level, load-bearing surface such as concrete or tiles. Not suitable directly on soil or grass. Confirm terrace/balcony load capacity with a qualified engineer.

6 Waterproofing & Drainage

Do not drill or screw into waterproofed slabs or membranes. Keep drain outlets and gaps free of debris so that water does not collect under the tiles.

7 Installation Safety

Wear gloves and eye protection while cutting or drilling. Keep tools, screws and offcuts away from children and pets. Follow the tool manufacturer's instructions.

8 Use & Slip Caution

Wooden surfaces can be slippery when wet, mossy or oily. Keep away from open flames, barbecues, fire pits and hot coals. Do not drag heavy or sharp objects.

9 Care & Maintenance

Sweep regularly and clean with mild soap and water. Avoid harsh chemicals and high-pressure washers close to the surface. Re-coat periodically with a suitable exterior wood oil.

Limitation of Liability

This guide provides general instructions only; site conditions vary, and professional installation is recommended for large or elevated areas. Beautex Wood shall not be liable for any damage, injury or loss arising from improper installation, misuse, inadequate maintenance or unsuitable site conditions. Warranty, if applicable, is subject to the terms stated on the invoice.